

# MFAP3L antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI12450

#### **Product Information**

Application WB Primary Accession 075121

Other Accession NM 021647, NP 067679

**Reactivity** Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine

**Predicted** Human, Rabbit, Pig, Chicken, Dog, Horse, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 45380

#### **Additional Information**

**Gene ID** 9848

Alias Symbol NYD-sp9

Other Names Microfibrillar-associated protein 3-like, Testis development protein NYD-SP9,

MFAP3L, KIAA0626

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

**Reconstitution & Storage** Add 100 ul of distilled water. Final anti-MFAP3L antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

**Precautions** MFAP3L antibody - N-terminal region is for research use only and not for use

in diagnostic or therapeutic procedures.

#### **Protein Information**

Name MFAP3L

Synonyms KIAA0626

**Function** May participate in the nuclear signaling of EGFR and MAPK1/ERK2. May a

have a role in metastasis.

**Cellular Location** Cell membrane; Single-pass type I membrane protein. Nucleus. Cytoplasm


Note=Mainly localized in the nucleus (PubMed:24735981)

**Tissue Location** Highly expressed in testis. {ECO:0000269 | Ref.1}.

### References

Yang, C.B., Unpublished (2003) Reconstitution and Storage: For short term use, store at 2-8 Cup to 1 week. For long term storage, store at 2-20 Cinsmall aliquots to prevent freeze-thank cycles.

## **Images**



WB Suggested Anti-MFAP3L Antibody Titration: 2.5µg/ml Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.