

CRELD1 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12533

Product Information

Application	WB, IHC
Primary Accession	Q96HD1
Other Accession	NM_001077415 , NP_001070883
Reactivity	Human, Mouse, Rat, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Mouse, Dog, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45440


Additional Information

Gene ID	78987
Alias Symbol	AVSD2, CIRPIN, DKFZP566D213
Other Names	Cysteine-rich with EGF-like domain protein 1, CRELD1, CIRPIN
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-CRELD1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	CRELD1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	CRELD1
Synonyms	CIRPIN
Function	Protein disulfide isomerase (By similarity). Promotes the localization of acetylcholine receptors (AChRs) to the plasma membrane (By similarity).
Cellular Location	Membrane; Multi-pass membrane protein
Tissue Location	Highly expressed in fetal lung, liver, kidney, adult heart, brain and skeletal muscle. Weakly expressed in placenta, fetal brain, and adult lung, liver, kidney and pancreas

Images



Human kidney



WB Suggested Anti-CRELD1 Antibody Titration: 5.0µg/ml
Positive Control: HepG2 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.