

TCP10L antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI12634

Product Information

Application	WB, IHC
Primary Accession	Q8TDR4
Other Accession	NM_144659 , NP_653260
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	23863


Additional Information

Gene ID	140290
Alias Symbol	PRED77, TCP10A-2, C21orf77
Other Names	T-complex protein 10A homolog 2, T-complex protein 10A-2, TCP10A-2, TCP10-like, TCP10L
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-TCP10L antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	TCP10L antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	TCP10L
Function	May be involved in transcriptional regulation. Has in vitro transcription inhibition activity. Acts as a tumor suppressor in hepatocellular carcinoma (HCC) cells.
Cellular Location	Nucleus
Tissue Location	Expressed in liver and testis. Expressed in the seminiferous tubules (at protein level).

Images



Human Heart



WB Suggested Anti-TCP10L Antibody Titration: 1.25µg/ml
Positive Control: HepG2 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.