

NNT antibody - N-terminal region

Rabbit Polyclonal Antibody
Catalog # AI12726

Product Information

Application	WB
Primary Accession	Q13423
Other Accession	NM_012343 , NP_036475
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Zebrafish, Chicken, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	114 KDa

Additional Information

Alias Symbol	MGC126502, MGC126503
Other Names	NAD(P) transhydrogenase, mitochondrial, 1.6.1.2, Nicotinamide nucleotide transhydrogenase, Pyridine nucleotide transhydrogenase, NNT
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-NNT antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	NNT antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.



Protein Information

References

Mehrle, A., Nucleic Acids Res. 34(DATABASE ISSUE), D415-D418 (2006) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images

WB Suggested Anti-NNT Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:12500
Positive Control: Human Liver



Host: Rabbit
 Target Name:NNT
 Sample Tissue:Hela Whole cell
 Lane A: Primary Antibody
 Lane B:Primary Antibody + Blocking Peptide
 Primary Antibody
 Concentration:1µg/ml
 Peptide Concentration: 5µg/ml
 Lysate Quantity: 25ug/lane/Lane Gel
 Concentration: 0.12

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.