

SCAND3 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12833

Product Information

Application	WB
Primary Accession	Q6R2W3
Other Accession	NM_052923 , NP_443155
Reactivity	Human, Dog, Horse
Predicted	Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	151666

Additional Information

Gene ID	114821
Alias Symbol	DKFZp434N092, FLJ31087, KIAA1925, MGC131782, MGC133310, MGC133311, SCAND3, ZFP38-L, ZNF305P2, dj1186N24.3, ZNF452
Other Names	SCAN domain-containing protein 3, Transposon-derived Buster4 transposase-like protein, Zinc finger BED domain-containing protein 9, ZBED9, Buster4, KIAA1925, SCAND3, ZNF305P2, ZNF452
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-SCAND3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	SCAND3 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	SCAND3 (HGNC:13851)
Cellular Location	Nucleus {ECO:0000255 PROSITE-ProRule:PRU00187}.
Tissue Location	Weakly expressed in the lung (at protein level).

References

Mehrle, A., Nucleic Acids Res. 34 (DATABASE ISSUE), D415-D418 (2006) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-SCAND3 Antibody Titration: 0.2-1
µg/ml
ELISA Titer: 1:312500
Positive Control: HepG2 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.