10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# KIAA0515 antibody - N-terminal region

Rabbit Polyclonal Antibody
Catalog # AI12862

## Product Information

| | |
|---|---|
| **Application** | WB |
| **Primary Accession** | Q5JSZ5 |
| **Other Accession** | EAW87968 |
| **Reactivity** | Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine |
| **Predicted** | Human, Mouse, Chicken, Dog, Bovine |
| **Host** | Rabbit |
| **Clonality** | Polyclonal |
| **Calculated MW** | 242967 |

## Additional Information


| | |
|---|---|
| **Gene ID** | 84726 |
| **Alias Symbol** | RP11-334J6.1, DKFZp781F05101, DKFZp781K12107, LQFBS-1, MGC10526, BAT2L, BAT2L1, KIAA0515 |
| **Other Names** | Protein PRRC2B, HLA-B-associated transcript 2-like 1, Proline-rich coiled-coil protein 2B, PRRC2B, BAT2L, BAT2L1, KIAA0515 |
| **Format** | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. |
| **Reconstitution & Storage** | Add 50 ul of distilled water. Final anti-KIAA0515 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles. |
| **Precautions** | KIAA0515 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures. |

## Protein Information

| | |
|---|---|
| **Name** | PRRC2B |
| **Synonyms** | BAT2L, BAT2L1, KIAA0515 |

## Images

WB Suggested Anti-KIAA0515 Antibody Titration: 0.2-1 µg/ml




Positive Control: HepG2 cell lysate
PRRC2B is supported by BioGPS gene expression data to be expressed in HepG2

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.