

IL28RA antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12873

Product Information

Application	WB
Primary Accession	Q5VTX8
Other Accession	NM_173064 , NP_775087
Reactivity	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54 KDa

Additional Information

Alias Symbol	CRF2/12, IFNLR, IFNLR1, LICR2, il-28r1, IL-28R1, IL28RA
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-IL28RA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	IL28RA antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

References

Chae, S.C., (2006) Exp. Mol. Med. 38(3), 302-309 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. Publications: Mucha, J., Majchrzak, K., Taciak, B., Hellmén, E. & Król, M. MDSCs mediate angiogenesis and predispose canine mammary tumor cells for metastasis via IL-28/IL-28RA (IFN- λ) signaling. PLoS One 9, e103249 (2014). WB, Human, Guinea pig, Dog, Rat, Bovine, Horse, Rabbit, Mouse 25075523

Images

WB Suggested Anti-IL28RA Antibody Titration: 0.2-1 μ g/ml
ELISA Titer: 1:312500
Positive Control: Jurkat cell lysate



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.