

ING1 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI13184

Product Information


Application	WB
Primary Accession	Q5T9H0
Other Accession	NM_198219 , NP_937862
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32 KDa

Additional Information

Alias Symbol	p24ING1c, p33, p33ING1, p33ING1b, p47, p47ING1a
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-ING1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	ING1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Images



WB Suggested Anti-ING1 Antibody Titration: 2.5µg/ml
Positive Control: HepG2 cell lysate
There is BioGPS gene expression data showing that ING1 is expressed in HepG2

Lanes: 1: 30ug HeLa lysate, 2: 30ug HFF lysate, 3: 30ug U2OS lysate



Primary Antibody Dilution: 1:1000
Secondary Antibody: Anti-rabbit HRP
Secondary Antibody Dilution: 1:5000
Gene Name: ING1
Submitted by: Dr. Hyung Suk Oh, Knipe Lab, Harvard
Medical School

See Immunoblot 2 Data and customer Feedback for more Information

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.