10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CCDC127 antibody - N-terminal region

Rabbit Polyclonal Antibody
Catalog # AI13466

Product Information

Application	WB
Primary Accession	Q96BQ5
Other Accession	NM_145265, NP_660308
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Mouse, Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	30834

Additional Information

Gene ID	133957
Alias Symbol	FLJ25701
Other Names	Coiled-coil domain-containing protein 127, CCDC127
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-CCDC127 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	CCDC127 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	CCDC127
Function	Regulates lipid droplet homeostasis. May be involved in the adipocyte differentiation.
Cellular Location	Mitochondrion outer membrane; Peripheral membrane protein

References

Ota T.,et al.Nat. Genet. 36:40-45(2004).
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).

Images



WB Suggested Anti-CCDC127 Antibody Titration: 0.2-1 µg/ml
Positive Control: COLO205 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.