

Vwa5a antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI13743

Product Information

Application	WB
Primary Accession	Q99KC8
Other Accession	NM_172767 , NP_766355
Reactivity	Human, Mouse, Rat, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Rat, Pig, Dog, Guinea Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	87143

Additional Information

Gene ID	67776
Alias Symbol Other Names	5830475I06Rik, AW552491, BCSC-1, E130119J22, Loh11cr2a von Willebrand factor A domain-containing protein 5A, Loss of heterozygosity 11 chromosomal region 2 gene A protein homolog, Vwa5a, Loh11cr2a
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Vwa5a antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Vwa5a antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	Vwa5a
Synonyms	Loh11cr2a
Function	May play a role in tumorigenesis as a tumor suppressor. Altered expression of this protein and disruption of the molecular pathway it is involved in may contribute directly to or modify tumorigenesis (By similarity).

References

Martin E.S.,et al.Proc. Natl. Acad. Sci. U.S.A. 100:11517-11522(2003).
Carninci P.,et al.Science 309:1559-1563(2005).
Cao L.,et al.J. Immunol. 179:5864-5876(2007).

Images



WB Suggested Anti-Vwa5a Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Kidney

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.