

Ppp2r5e antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI13986

Product Information

Application	WB
Primary Accession	Q61151
Other Accession	NM_012024 , NP_036154
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Goat, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Rat, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54713

Additional Information

Gene ID	26932
Alias Symbol	4633401M22Rik, AI449017, B56beta
Other Names	Serine/threonine-protein phosphatase 2A 56 kDa regulatory subunit epsilon isoform, PP2A B subunit isoform B'-epsilon, PP2A B subunit isoform B56-epsilon, PP2A B subunit isoform PR61-epsilon, PP2A B subunit isoform R5-epsilon, Ppp2r5e, Kiaa4006
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Ppp2r5e antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Ppp2r5e antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	Ppp2r5e
Synonyms	Kiaa4006
Function	The B regulatory subunit might modulate substrate selectivity and catalytic activity, and might also direct the localization of the catalytic enzyme to a particular subcellular compartment. Interacts with cyclin G in vitro.
Cellular Location	Cytoplasm.

References

Carninci P.,et al.Science 309:1559-1563(2005).
Okazaki N.,et al.DNA Res. 10:35-48(2003).
Okamoto K.,et al.Mol. Cell. Biol. 16:6593-6602(1996).

Images



WB Suggested Anti-Ppp2r5e Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Spleen

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.