

TPRKB antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI14008

Product Information

Application WB
Primary Accession Q9Y3C4

Other Accession <u>NM 016058</u>, <u>NP 057142</u>

Reactivity Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine,

Yeast

Predicted Human, Mouse, Rat, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 19661

Additional Information

Gene ID 51002

Alias Symbol CGI-121

Other Names EKC/KEOPS complex subunit TPRKB, PRPK-binding protein, TP53RK-binding

protein, TPRKB

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-TPRKB antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions TPRKB antibody - middle region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name TPRKB (HGNC:24259)

Function Component of the EKC/KEOPS complex that is required for the formation of

a threonylcarbamoyl group on adenosine at position 37 (t(6)A37) in tRNAs

that read codons beginning with adenine (PubMed:22912744,

PubMed:<u>28805828</u>). The complex is probably involved in the transfer of the threonylcarbamoyl moiety of threonylcarbamoyl-AMP (TC-AMP) to the N6 group of A37 (PubMed:<u>22912744</u>, PubMed:<u>28805828</u>). TPRKB acts as an allosteric effector that regulates the t(6)A activity of the complex. TPRKB is not required for tRNA modification (PubMed:<u>22912744</u>, PubMed:<u>28805828</u>).


Cellular Location Cytoplasm, cytosol. Nucleus

Tissue Location Widely expressed..

References

Miyoshi A.,et al.Biochem. Biophys. Res. Commun. 303:399-405(2003). Mao Y.M.,et al.Submitted (APR-1998) to the EMBL/GenBank/DDBJ databases. Lai C.-H.,et al.Genome Res. 10:703-713(2000). Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases. Oppermann F.S.,et al.Mol. Cell. Proteomics 8:1751-1764(2009).

Images



WB Suggested Anti-TPRKB Antibody Titration: 0.2-1 μ g/ml ELISA Titer: 1:62500

Positive Control: THP-1 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.