10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

LAMC1 antibody - middle region

Rabbit Polyclonal Antibody
Catalog # AI14263

Product Information

Application	WB
Primary Accession	P11047
Other Accession	NM_002293, NP_002284
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	177603

Additional Information

Gene ID	3915
Alias Symbol	LAMB2, MGC87297
Other Names	Laminin subunit gamma-1, Laminin B2 chain, Laminin-1 subunit gamma, Laminin-10 subunit gamma, Laminin-11 subunit gamma, Laminin-2 subunit gamma, Laminin-3 subunit gamma, Laminin-4 subunit gamma, Laminin-6 subunit gamma, Laminin-7 subunit gamma, Laminin-8 subunit gamma, Laminin-9 subunit gamma, S-laminin subunit gamma, S-LAM gamma, LAMC1, LAMB2
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-LAMC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	LAMC1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information


Name	LAMC1 {ECO:0000303|PubMed:28397838, ECO:0000312|HGNC:HGNC:6492}
Function	Binding to cells via a high affinity receptor, laminin is thought to mediate the attachment, migration and organization of cells into tissues during embryonic development by interacting with other extracellular matrix components. As a subunit of laminin-1 (also known as laminin-111 or EHS laminin), it is involved in the stimulation of agrin-induced receptor clustering through a MuSK-independent pathway.

Cellular Location	Secreted, extracellular space, extracellular matrix, basement membrane
Tissue Location	Found in the basement membranes (major component).


References

Pikkarainen T.,et al.J. Biol. Chem. 263:6751-6758(1988).
Kallunki T.,et al.J. Biol. Chem. 266:221-228(1991).
Gregory S.G.,et al.Nature 441:315-321(2006).
Santos C.L.S.,et al.DNA Seq. 1:275-277(1991).
Fukushima Y.,et al.Cytogenet. Cell Genet. 48:137-141(1988).

Images



WB Suggested Anti-LAMC1 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:1562500
Positive Control: Human Muscle



Host:Rabbit
Target Name:LAMC1
Sample Tissue:Human Adult Placenta
Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.