

SUMO3 antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI14266

Product Information

Application	WB
Primary Accession	<u>P55854</u>
Other Accession	<u>NM_006936</u> , <u>NP_008867</u>
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	11637

Additional Information

Gene ID	6612
Alias Symbol Other Names	SMT3A, SMT3H1, SUMO-3, Smt3B Small ubiquitin-related modifier 3, SUMO-3, SMT3 homolog 1 {ECO:0000312 HGNC:HGNC:11124}, SUMO-2, Ubiquitin-like protein SMT3A, Smt3A, SUMO3 (<u>HGNC:11124</u>)
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-SUMO3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	SUMO3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	SUMO3 (<u>HGNC:11124</u>)
Function	Ubiquitin-like protein which can be covalently attached to target lysines either as a monomer or as a lysine-linked polymer. Does not seem to be involved in protein degradation and may function as an antagonist of ubiquitin in the degradation process. Plays a role in a number of cellular processes such as nuclear transport, DNA replication and repair, mitosis and signal transduction. Covalent attachment to its substrates requires prior activation by the E1 complex SAE1-SAE2 and linkage to the E2 enzyme UBE2I, and can be promoted by an E3 ligase such as PIAS1-4, RANBP2 or CBX4 (PubMed: <u>11451954</u> , PubMed: <u>18538659</u> , PubMed: <u>21965678</u>). Plays a role in

	the regulation of sumoylation status of SETX (PubMed: <u>24105744</u>).	
Cellular Location	Cytoplasm. Nucleus. Nucleus, PML body	
Tissue Location	Expressed predominantly in liver.	

Images

60 kDa	WB Suggested Anti-SUMO3 Antibody Titration: 0.2-1
 40 kDa	μg/ml
29 kDa	ELISA Titer: 1:62500
22 kDa	Positive Control: MCF7 cell lysate
10 kDa	SUMO3 is strongly supported by BioGPS gene expression data to be expressed in Human MCF7 cells

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.