

FSD1L antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI14533

Product Information

Application	WB
Primary Accession	Q9BXM9
Other Accession	NM_207647 , NP_997530
Reactivity	Human, Mouse, Rat, Zebrafish, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rabbit, Zebrafish, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	59578

Additional Information

Gene ID	83856
Alias Symbol	CCDC10, CSDUFD1, FSD1CL, FSD1NL, MGC45564, MIR1
Other Names	FSD1-like protein, Coiled-coil domain-containing protein 10, FSD1 N-terminal-like protein, FSD1L, CCDC10, CSDUFD1, FSD1CL, FSD1NL
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-FSD1L antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	FSD1L antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	FSD1L
Synonyms	CCDC10, CSDUFD1, FSD1CL, FSD1NL

References

Carim-Todd L.,et al.Biochim. Biophys. Acta 1518:200-203(2001).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Humphray S.J.,et al.Nature 429:369-374(2004).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).

Images



WB Suggested Anti-FSD1L Antibody Titration: 1.0 µg/ml
Positive Control: THP-1 Whole Cell

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.