

FGFBP2 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI14534

Product Information

| | |
|--------------------------|---|
| Application | WB |
| Primary Accession | Q9BYJ0 |
| Other Accession | NM_031950 , NP_114156 |
| Reactivity | Human |
| Predicted | Human |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | 24581 |

Additional Information

| | |
|-------------------------------------|---|
| Gene ID | 83888 |
| Alias Symbol | HBP17RP, KSP37 |
| Other Names | Fibroblast growth factor-binding protein 2, FGF-BP2, FGF-binding protein 2, FGFBP-2, 37 kDa killer-specific secretory protein, Ksp37, HBp17-related protein, HBp17-RP, FGFBP2, KSP37 |
| Format | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. |
| Reconstitution & Storage | Add 50 ul of distilled water. Final anti-FGFBP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles. |
| Precautions | FGFBP2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures. |

Protein Information

| | |
|--------------------------|--|
| Name | FGFBP2 |
| Synonyms | KSP37 |
| Cellular Location | Secreted, extracellular space |
| Tissue Location | Expressed in serum, peripheral leukocytes and cytotoxic T-lymphocytes, but not in granulocytes and monocytes (at protein level). |

References

Ogawa K.,et al.J. Immunol. 166:6404-6412(2001).
Sato J.D.,et al.Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).

Images



WB Suggested Anti-FGFBP2 Antibody Titration: 0.2-1
µg/ml
ELISA Titer: 1:312500
Positive Control: Hela cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.