

# Hprt antibody - C-terminal region

Rabbit Polyclonal Antibody Catalog # AI14604

#### **Product Information**

Application WB Primary Accession P00492

Other Accession <u>NM 013556, NP 038584</u>

**Reactivity**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine **Predicted**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Horse,

Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 24579

#### **Additional Information**

**Gene ID** 3251

Alias Symbol C81579, HPGRT, Hprt1, MGC103149

**Other Names** Hypoxanthine-guanine phosphoribosyltransferase, HGPRT, HGPRTase, 2.4.2.8,

HPRT1, HPRT

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

**Reconstitution & Storage** Add 50 ul of distilled water. Final anti-Hprt antibody concentration is 1 mg/ml

in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C.

Avoid repeat freeze-thaw cycles.

**Precautions** Hprt antibody - C-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name HPRT1

Synonyms HPRT

**Function** Converts guanine to guanosine monophosphate, and hypoxanthine to


inosine monophosphate. Transfers the 5-phosphoribosyl group from 5-phosphoribosylpyrophosphate onto the purine. Plays a central role in the generation of purine nucleotides through the purine salvage pathway.

Cellular Location Cytoplasm.

### References

Jolly D.J., et al. Proc. Natl. Acad. Sci. U.S.A. 80:477-481(1983). Edwards A., et al. Genomics 6:593-608(1990). Ota T., et al. Nat. Genet. 36:40-45(2004). Kalnine N., et al. Submitted (OCT-2004) to the EMBL/GenBank/DDBJ databases. Ross M.T., et al. Nature 434:325-337(2005).

## **Images**



WB Suggested Anti-Hprt Antibody Titration: 1.0 µg/ml Positive Control: Mouse Thymus

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.