

NARS antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI14682

Product Information

Application	WB
Primary Accession	O43776
Other Accession	NM_004539 , NP_004530
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Rat, Rabbit, Pig, Dog, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	62943

Additional Information

Gene ID	4677
Alias Symbol	ASNRS, NARS1
Other Names	Asparagine--tRNA ligase, cytoplasmic, 6.1.1.22, Asparaginyl-tRNA synthetase, AsnRS, NARS
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-NARS antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	NARS antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	NARS1 (HGNC:7643)
Function	Catalyzes the attachment of asparagine to tRNA(Asn) in a two- step reaction: asparagine is first activated by ATP to form Asn-AMP and then transferred to the acceptor end of tRNA(Asn) (PubMed: 32738225 , PubMed: 32788587 , PubMed: 9421509). In addition to its essential role in protein synthesis, acts as a signaling molecule that induced migration of CCR3-expressing cells (PubMed: 12235211 , PubMed: 30171954). Has an essential role in the development of the cerebral cortex, being required for proper proliferation of radial glial cells (PubMed: 32788587).
Cellular Location	Cytoplasm.

References

Beaulande M.,et al.Nucleic Acids Res. 26:521-524(1998).
Shiba K.,et al.Nucleic Acids Res. 26:5045-5051(1998).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Suzuki Y.,et al.Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.
Nusbaum C.,et al.Nature 437:551-555(2005).

Images



WB Suggested Anti-NARS Antibody Titration: 1.0 µg/ml
Positive Control: U937 Whole Cell

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.