

SSXT Antibody - C-terminal region

Rabbit Polyclonal Antibody Catalog # AI14687

Product Information

Application WB
Primary Accession Q15532
Reactivity Human

Predicted Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 45929

Additional Information

Gene ID 6760

Alias Symbol SS18, SSXT, SYT,

Other Names Protein SSXT, Protein SYT, Synovial sarcoma translocated to X chromosome

protein, SS18, SSXT, SYT

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 &mu, I of distilled water. Final Anti-SSXT antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

-20°C. Avoid repeat freeze-thaw cycles.

Precautions SSXT Antibody - C-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name SS18

Synonyms SSXT, SYT

Function Appears to function synergistically with RBM14 as a transcriptional

coactivator. Isoform 1 and isoform 2 function in nuclear receptor coactivation. Isoform 1 and isoform 2 function in general transcriptional coactivation. Component of SWI/SNF chromatin remodeling subcomplex GBAF that carries out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent

manner (PubMed:29374058).

Cellular Location Nucleus.


Tissue Location

Fairly ubiquitously expressed. Expressed in synovial sarcomas and in other human cell lines. The fusion genes SSXT- SSX1 and SSXT-SSX2 are expressed only in synovial sarcomas

References

Clark J., et al. Nat. Genet. 7:502-508(1994). Brodin B., et al. Gene 268:173-182(2001). Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Fligman I., et al. Am. J. Pathol. 147:1592-1599(1995). de Bruijn D.R., et al. Oncogene 20:3281-3289(2001).

Images



Host: Rabbit Target Name: SSXT

Sample Tissue: Fetal Kidney lysates

Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.