

MON1B antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI14829

Product Information

Application	WB
Primary Accession	Q9NQ50
Other Accession	NM_003776 , NP_003767
Reactivity	Human, Rabbit
Predicted	Human, Rabbit
Host	Rabbit
Clonality	Polyclonal
Calculated MW	24490

Additional Information

Gene ID	64976
Alias Symbol	HSRG1, SAND2, SRG1
Other Names	39S ribosomal protein L40, mitochondrial, L40mt, MRP-L40, Nuclear localization signal-containing protein deleted in velocardiofacial syndrome, Up-regulated in metastasis, MRPL40, NLVCF, URIM
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-MON1B antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	MON1B antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	MRPL40
Synonyms	NLVCF, URIM
Cellular Location	Mitochondrion
Tissue Location	Ubiquitous..

References

Funke B.,et al.Genomics 53:146-154(1998).
Hildebrandt T.,et al.Anticancer Res. 19:525-530(1999).
Collins J.E.,et al.Genome Biol. 5:R84.1-R84.11(2004).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.

Images



WB Suggested Anti-MON1B Antibody Titration: 1.0 µg/ml
Positive Control: Hela Whole Cell
MON1B is supported by
BioGPS gene expression data to be expressed in HeLa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.