

TNN antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI14933

Product Information

Application WB
Primary Accession Q9UQP3

Other Accession NM 022093, NP 071376

Reactivity PredictedHuman, Mouse, Rat, Dog, Horse, Bovine
Human, Mouse, Rat, Horse, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 144034

Additional Information

Gene ID 63923

Alias Symbol TN-W

Other Names Tenascin-N, TN-N, TNN

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-TNN antibody concentration is 1 mg/ml

in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C.

Avoid repeat freeze-thaw cycles.

Precautions TNN antibody - N-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name TNN (HGNC:22942)

Function Extracellular matrix protein that seems to be a ligand for ITGA8:ITGB1,

ITGAV:ITGB1 and ITGA4:ITGB1 (By similarity) (PubMed:<u>17909022</u>). Involved in neurite outgrowth and cell migration in hippocampal explants (By similarity).

During endochondral bone formation, inhibits proliferation and

differentiation of proteoblasts mediated by canonical WNT signaling (By similarity). In tumors, stimulates angiogenesis by elongation, migration and sprouting of endothelial cells (PubMed: 19884327). Expressed in most mammary tumors, may facilitate tumorigenesis by supporting the migratory

behavior of breast cancer cells (PubMed: 17909022).

Cellular Location Secreted, extracellular space, extracellular matrix


Tissue Location

Not detected in normal adult mammary tissues or brain but expressed in most breast tumors and brain tumors, such as glioblastomas, astrocytomas and oligodendrogliomas, tested (PubMed:17909022, PubMed:19884327). In brain tumors, detected around the endothelial cell layer of the clood vessels (PubMed:19884327)

References

Gregory S.G.,et al.Nature 441:315-321(2006). Rhodes S.,et al.Submitted (APR-1999) to the EMBL/GenBank/DDBJ databases. Liu T.,et al.J. Proteome Res. 4:2070-2080(2005).

Images



WB Suggested Anti-TNN Antibody Titration: 1.0 μ g/ml Positive Control: RPMI-8226 Whole CellTNN is supported by BioGPS gene expression data to be expressed in RPMI 8226

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.