

CLPX antibody - C-terminal region

Rabbit Polyclonal Antibody Catalog # AI14959

Product Information

Application	WB
Primary Accession	<u>076031</u>
Other Accession	<u>NM_006660</u> , <u>NP_006651</u>
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Dog, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	69224

Additional Information

Gene ID	10845
Other Names	ATP-dependent Clp protease ATP-binding subunit clpX-like, mitochondrial, CLPX
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-CLPX antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	CLPX antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CLPX (<u>HGNC:2088</u>)
Function	ATP-dependent chaperone that functions as an unfoldase. As part of the ClpXP protease complex, it recognizes specific protein substrates, unfolds them using energy derived from ATP hydrolysis, and then translocates them to the proteolytic subunit (CLPP) of the ClpXP complex for degradation (PubMed: <u>11923310</u> , PubMed: <u>22710082</u> , PubMed: <u>28874591</u>). Thanks to its chaperone activity, it also functions in the incorporation of the pyridoxal phosphate cofactor into 5- aminolevulinate synthase, thereby activating 5-aminolevulinate (ALA) synthesis, the first step in heme biosynthesis (PubMed: <u>28874591</u>). This chaperone is also involved in the control of mtDNA nucleoid distribution, by regulating mitochondrial transcription factor A (TFAM) activity (PubMed: <u>22841477</u>).

Cellular Location	Mitochondrion. Mitochondrion matrix, mitochondrion nucleoid
Tissue Location	Higher expression in skeletal muscle and heart and to a lesser extent in liver, brain, placenta, lung, kidney and pancreas.

References

Corydon T.J.,et al.Mamm. Genome 11:899-905(2000). Ota T.,et al.Nat. Genet. 36:40-45(2004). Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Kang S.G.,et al.J. Biol. Chem. 277:21095-21102(2002). Kang S.G.,et al.J. Struct. Biol. 148:338-352(2004).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.