

SUMF1 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15072

Product Information

Application	WB
Primary Accession	Q8NBK3
Other Accession	NM_182760 , NP_877437
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40556

Additional Information

Gene ID	285362
Alias Symbol	AAPA3037, FGE, MGC131853, MGC150436, UNQ3037
Other Names	Sulfatase-modifying factor 1, 1.8.99.-, C-alpha-formylglycine-generating enzyme 1, SUMF1, FGE
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-SUMF1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	SUMF1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	SUMF1 {ECO:0000303 PubMed:12757706, ECO:0000312 HGNC:HGNC:20376}
Function	Oxidase that catalyzes the conversion of cysteine to 3- oxoalanine on target proteins, using molecular oxygen and an unidentified reducing agent (PubMed: 12757706 , PubMed: 15657036 , PubMed: 15907468 , PubMed: 16368756 , PubMed: 21224894 , PubMed: 25931126). 3- oxoalanine modification, which is also named formylglycine (fGly), occurs in the maturation of arylsulfatases and some alkaline phosphatases that use the hydrated form of 3-oxoalanine as a catalytic nucleophile (PubMed: 12757706 , PubMed: 15657036 , PubMed: 15907468 , PubMed: 16368756 ,

PubMed:[25931126](#)). Known substrates include GALNS, ARSA, STS and ARSE (PubMed:[12757706](#), PubMed:[15657036](#), PubMed:[15907468](#)).

Cellular Location

Endoplasmic reticulum lumen


Tissue Location

Ubiquitous. Highly expressed in kidney, pancreas and liver. Detected at lower levels in leukocytes, lung, placenta, small intestine, skeletal muscle and heart

References

Dierks T.,et al.Cell 113:435-444(2003).
Cosma M.P.,et al.Cell 113:445-456(2003).
Oshikawa M.,et al.Mol. Vis. 15:482-494(2009).
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).

Images



WB Suggested Anti-SUMF1 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Liver

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.