

EBNA1BP2 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15155

Product Information

Application	WB
Primary Accession	Q99848
Other Accession	NM_006824 , NP_006815
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34852

Additional Information

Gene ID	10969
Alias Symbol	EBP2, NOBP, P40
Other Names	Probable rRNA-processing protein EBP2, EBNA1-binding protein 2, Nucleolar protein p40, EBNA1BP2, EBP2
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-EBNA1BP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	EBNA1BP2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	EBNA1BP2
Synonyms	EBP2
Function	Required for the processing of the 27S pre-rRNA.
Cellular Location	Nucleus, nucleolus. Note=Associated with the nucleolus in an RNA-dependent manner
Tissue Location	Ubiquitous..

References

Shire K.,et al.J. Virol. 73:2587-2595(1999).
Henning D.,et al.Biochem. Biophys. Res. Commun. 283:430-436(2001).
Chatterjee A.,et al.Cancer Res. 47:1123-1129(1987).
Olsen J.V.,et al.Cell 127:635-648(2006).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).

Images



WB Suggested Anti-EBNA1BP2 Antibody Titration: 1.0
µg/ml
Positive Control: HepG2 Whole Cell

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.