

TXLNA Antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15263

Product Information

Application	WB
Primary Accession	P40222
Other Accession	NM_175852 , NP_787048
Reactivity	Human, Rat, Dog, Horse, Bovine
Predicted	Human, Rat, Dog, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61891

Additional Information

Gene ID	200081
Alias Symbol Other Names	DKFZp451J0118, IL14, MGC118870, MGC118871, RP4-622L5.4, TXLN Alpha-taxilin, TXLNA, TXLN
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-TXLNA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	TXLNA Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	TXLNA
Synonyms	TXLN
Function	May be involved in intracellular vesicle traffic and potentially in calcium-dependent exocytosis in neuroendocrine cells.
Tissue Location	Ubiquitous, with much higher expression in heart, kidney, liver and pancreas.

References

Nogami S.,et al.Genes Cells 8:17-28(2003).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Gregory S.G.,et al.Nature 441:315-321(2006).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Ambrus J.L. Jr.,et al.Proc. Natl. Acad. Sci. U.S.A. 90:6330-6334(1993).

Images



WB Suggested Anti-TXLNA Antibody Titration: 1.0 µg/ml
Positive Control: Jurkat Whole Cell
TXLNA is supported by
BioGPS gene expression data to be expressed in Jurkat

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.