

# KRT74 Antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI15366

#### **Product Information**

Application WB Primary Accession Q7RTS7

Other Accession <u>NM\_175053</u>, <u>NP\_778223</u>

**Reactivity**Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine, Sheep **Predicted**Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine, Sheep

Host Rabbit
Clonality Polyclonal
Calculated MW 57865

#### **Additional Information**

**Gene ID** 121391

Alias Symbol K6IRS4, KRT5C, KRT6IRS4

Other Names Keratin, type II cytoskeletal 74, Cytokeratin-74, CK-74, Keratin-5c, K5C,

Keratin-74, K74, Type II inner root sheath-specific keratin-K6irs4, Type-II

keratin Kb37, KRT74, K6IRS4, KB37, KRT5C, KRT6IRS4

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

**Reconstitution & Storage** Add 50 ul of distilled water. Final anti-KRT74 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

**Precautions** KRT74 Antibody - N-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name KRT74

**Synonyms** K6IRS4, KB37, KRT5C, KRT6IRS4

**Function** Has a role in hair formation. Specific component of keratin intermediate

filaments in the inner root sheath (IRS) of the hair follicle (Probable).


**Tissue Location** Highly expressed in hair follicles from scalp. In hair, it is specifically present in

the inner root sheath (IRS) of the hair follicle. Present in the IRS Huxley layer, but not in Henle layer or cuticle of the IRS. In the IRS Huxley layer, it is expressed in specialized Huxley cells, termed 'Fluegelzellen, along the area of

### References

Langbein L.,et al.J. Invest. Dermatol. 120:512-522(2003). Scherer S.E.,et al.Nature 440:346-351(2006). Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Hesse M.,et al.J. Cell Sci. 114:2569-2575(2001). Langbein L.,et al.J. Invest. Dermatol. 126:2377-2386(2006).

## **Images**



WB Suggested Anti-KRT74 Antibody Titration: 1.0 µg/ml Positive Control: Jurkat Whole Cell

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.