

PPFIBP2 Antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15451

Product Information

Application	WB
Primary Accession	Q8ND30
Other Accession	NM_003621 , NP_003612
Reactivity	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	98544

Additional Information

Gene ID	8495
Alias Symbol	Cclp1, DKFZp781K06126, MGC42541
Other Names	Liprin-beta-2, Protein tyrosine phosphatase receptor type f polypeptide-interacting protein-binding protein 2, PTPRF-interacting protein-binding protein 2, PPFIBP2
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-PPFIBP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	PPFIBP2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	PPFIBP2
Function	May regulate the disassembly of focal adhesions. Did not bind receptor-like tyrosine phosphatases type 2A.
Tissue Location	Widely expressed..

References

Ota T.,et al.Nat. Genet. 36:40-45(2004).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Taylor T.D.,et al.Nature 440:497-500(2006).
Serra-Pages C.,et al.J. Biol. Chem. 273:15611-15620(1998).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).

Images



WB Suggested Anti-PPFIBP2 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Brain

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.