

DTX4 Antibody - C-terminal region

Rabbit Polyclonal Antibody Catalog # AI15600

Product Information

Application WB
Primary Accession Q9Y2E6

Other Accession <u>NM 015177</u>, <u>NP 055992</u>

ReactivityHuman, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine **Predicted**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 67258

Additional Information

Gene ID 23220

Alias Symbol RNF155

Other Names E3 ubiquitin-protein ligase DTX4, 6.3.2.-, Protein deltex-4, Deltex4, RING finger

protein 155, DTX4, KIAA0937, RNF155

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-DTX4 antibody concentration is 1 mg/ml

in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C.

Avoid repeat freeze-thaw cycles.

Precautions DTX4 Antibody - C-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name DTX4

Synonyms KIAA0937, RNF155

Function Regulator of Notch signaling, a signaling pathway involved in cell-cell

communications that regulates a broad spectrum of cell-fate determinations (By similarity). Functions as a ubiquitin ligase protein in vivo, mediating 'Lys48'-linked polyubiquitination and promoting degradation of TBK1,


targeting to TBK1 requires interaction with NLRP4.

Cellular Location Cytoplasm.

References

Nagase T., et al. DNA Res. 6:63-70(1999). Storck S., et al. Mol. Cell. Biol. 25:1437-1445(2005). Cui J., et al. Nat. Immunol. 13:387-395(2012).

Images



Host: Rabbit Target Name: DTX4

Sample Tissue: Fetal Kidney lysates Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.