

KDEL2 Antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI15859

Product Information

Application	WB
Primary Accession	Q7Z4H8
Other Accession	NM_153705 , NP_714916
Reactivity	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	58572

Additional Information

Gene ID	143888
Other Names	KDEL motif-containing protein 2, KDEL2
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-KDEL2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	KDEL2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	POGLUT3 {ECO:0000303 PubMed:30127001, ECO:0000312 HGNC:HGNC:28496}
Function	Protein glucosyltransferase that catalyzes the transfer of glucose from UDP-glucose to a serine residue within the consensus sequence peptide C-X-N-T-X-G-S-F-X-C (PubMed:30127001). Can also catalyze the transfer of xylose from UDP-xylose but less efficiently (PubMed:30127001). Specifically targets extracellular EGF repeats of proteins such as NOTCH1, NOTCH3, FBN1, FBN2 and LTBP1 (PubMed:30127001, PubMed:34411563). May regulate the transport of NOTCH1 and NOTCH3 to the plasma membrane and thereby the Notch signaling pathway (PubMed:30127001).
Cellular Location	Endoplasmic reticulum lumen {ECO:0000255 PROSITE- ProRule:PRU10138}

References

Ding P.,et al.Submitted (JUL-2002) to the EMBL/GenBank/DDBJ databases.
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Chen R.,et al.J. Proteome Res. 8:651-661(2009).
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).

Images



Host: Rabbit
Target Name: KDEL2
Sample Tissue: HT1080 Whole cell lysate
S
Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.