

HOXC13 Antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI16059

Product Information

Application	WB
Primary Accession	P31276
Other Accession	NM_017410 , NP_059106
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine, Sheep, Neisseria Gonorrhoeae
Predicted	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine, Sheep, Neisseria Gonorrhoeae
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35379

Additional Information

Gene ID	3229
Alias Symbol	HOX3, HOX3G
Other Names	Homeobox protein Hox-C13, Homeobox protein Hox-3G, HOXC13, HOX3G
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 µl of distilled water. Final Anti-HOXC13 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.
Precautions	HOXC13 Antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	HOXC13
Synonyms	HOX3G
Function	Transcription factor which plays a role in hair follicle differentiation. Regulates FOXQ1 expression and that of other hair- specific genes (By similarity).
Cellular Location	Nucleus.

Background

Transcription factor which plays a role in hair follicle differentiation. Regulates FOXQ1 expression and that of other hair-specific genes (By similarity).

References

de Stanchina E.,et al.J. Mol. Biol. 299:667-680(2000).


Li S.,et al.Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.

Kalnina N.,et al.Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.

Ota T.,et al.Nat. Genet. 36:40-45(2004).

Acampora D.,et al.Nucleic Acids Res. 17:10385-10402(1989).

Images



Host: Rabbit
Target Name: HOXC13
Sample Tissue: HepG2 Whole cell lysate
S
Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.