

BMPR1A Antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI16096

Product Information

Application WB
Primary Accession P36894
Other Accession XP_005270121
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 60198

Additional Information

Gene ID 657

Alias Symbol BMPR1A, ACVRLK3, ALK3,

Other Names Bone morphogenetic protein receptor type-1A, BMP type-1A receptor,

BMPR-1A, 2.7.11.30, Activin receptor-like kinase 3, ALK-3,

Serine/threonine-protein kinase receptor R5, SKR5, CD292, BMPR1A, ACVRLK3,

ALK3

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 &mu, I of distilled water. Final Anti-BMPR1A antibody concentration is

1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

-20°C. Avoid repeat freeze-thaw cycles.

PrecautionsBMPR1A Antibody - N-terminal region is for research use only and not for use

in diagnostic or therapeutic procedures.

Protein Information

Name BMPR1A

Synonyms ACVRLK3, ALK3

Function On ligand binding, forms a receptor complex consisting of two type II and

two type I transmembrane serine/threonine kinases. Type II receptors phosphorylate and activate type I receptors which autophosphorylate, then bind and activate SMAD transcriptional regulators. Receptor for BMP2, BMP4, GDF5 and GDF6. Positively regulates chondrocyte differentiation through GDF5 interaction. Mediates induction of adipogenesis by GDF6. May promote

the expression of HAMP, potentially via its interaction with BMP2 (By

similarity).

Cellular Location Cell membrane; Single-pass type I membrane protein. Cell surface

{ECO:0000250 | UniProtKB:P36895}

Tissue Location Highly expressed in skeletal muscle.


Background

On ligand binding, forms a receptor complex consisting of two type II and two type I transmembrane serine/threonine kinases. Type II receptors phosphorylate and activate type I receptors which autophosphorylate, then bind and activate SMAD transcriptional regulators. Receptor for BMP-2 and BMP-4.

References

ten Dijke P.,et al.Oncogene 8:2879-2887(1993). Ota T.,et al.Nat. Genet. 36:40-45(2004). Mahlawat P.,et al.Biochemistry 51:6328-6341(2012). Kirsch T.,et al.Nat. Struct. Biol. 7:492-496(2000). Howe J.R.,et al.Nat. Genet. 28:184-187(2001).

Images



Host: Rabbit

Target Name: BMPR1A

Sample Tissue: Jurkat Whole Cell lysates

Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.