

NLRC5 / NOD4 Antibody (N-Terminus)

Rabbit Polyclonal Antibody Catalog # ALS13986

Product Information

Application WB, IHC-P, IF, ICC, E

Primary Accession Q86WI3

Reactivity Human, Mouse

HostRabbitClonalityPolyclonalCalculated MW204595

Dilution IHC-P (5 [g/ml), WB (1-2 [g/ml),

Concentration (mg/ml) 1 mg/ml

Additional Information

Gene ID 84166

Other Names Protein NLRC5, Caterpiller protein 16.1, CLR16.1, Nucleotide-binding

oligomerization domain protein 27, Nucleotide-binding oligomerization

domain protein 4, NLRC5, NOD27, NOD4

Target/Specificity Human NLRC5

Reconstitution & Storage Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Store undiluted.

Precautions NLRC5 / NOD4 Antibody (N-Terminus) is for research use only and not for use

in diagnostic or therapeutic procedures.

Protein Information

Name NLRC5

Synonyms NOD27, NOD4

Function Probable regulator of the NF-kappa-B and type I interferon signaling

pathways. May also regulate the type II interferon signaling pathway. Plays a role in homeostatic control of innate immunity and in antiviral defense

mechanisms.

Cellular Location Cytoplasm

Tissue Location Expressed in spleen, thymus, lung, brain, tonsil, heart and prostate.

Volume Array

Background

Probable regulator of the NF-kappa-B and type I interferon signaling pathways. May also regulate the type II interferon signaling pathway. Plays a role in homeostatic control of innate immunity and in antiviral defense mechanisms.


References

Dowds T.A.,et al.Biochem. Biophys. Res. Commun. 302:575-580(2003). Kronos K.,et al.Submitted (FEB-2007) to the EMBL/GenBank/DDBJ databases. Jikuya H.,et al.Submitted (JAN-2002) to the EMBL/GenBank/DDBJ databases. Martin J.,et al.Nature 432:988-994(2004). Jikuya H.,et al.DNA Res. 10:49-57(2003).


Images



Immunocytochemistry of NOD4 in HeLa cells with NOD4 antibody at 10 ug/ml.




Immunofluorescence of NOD4 in HeLa cells with NOD4 antibody at 20 ug/ml.



Western blot analysis of NOD4 in EL4 cell lysate with NOD4 antibody at 1 ug/ml.

Anti-NLRC5 antibody IHC of human spleen.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.