

Anti-HNRNP-E2 / PCBP2 Antibody

Rabbit Anti Human Polyclonal Antibody
Catalog # ALS17360

Product Information

Application	WB, IHC-P, IF
Primary Accession	Q15366
Predicted	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	38580

Additional Information

Gene ID	5094
Alias Symbol Other Names	PCBP2 PCBP2, Alpha-CP2, HnRNP E2, HNRPE2, Poly(rC) binding protein 2, Poly(rC)-binding protein 2, HnRNP-E2
Target/Specificity	Human HNRNP-E2 / PCBP2
Reconstitution & Storage	PBS, pH 7.3, 0.02% sodium azide, 50% glycerol. Long term: -80°C; Short term: -20°C. Avoid freeze-thaw cycles.
Precautions	Anti-HNRNP-E2 / PCBP2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	PCBP2 {ECO:0000303 PubMed:7607214, ECO:0000312 HGNC:HGNC:8648}
Function	Single-stranded nucleic acid binding protein that binds preferentially to oligo dC (PubMed: 12414943 , PubMed: 7607214). Major cellular poly(rC)-binding protein (PubMed: 12414943). Also binds poly(rU) (PubMed: 12414943). Acts as a negative regulator of antiviral signaling (PubMed: 19881509 , PubMed: 35322803). Negatively regulates cellular antiviral responses mediated by MAVS signaling (PubMed: 19881509). It acts as an adapter between MAVS and the E3 ubiquitin ligase ITCH, therefore triggering MAVS ubiquitination and degradation (PubMed: 19881509). Negatively regulates the cGAS-STING pathway via interaction with CGAS, preventing the formation of liquid-like droplets in which CGAS is activated (PubMed: 35322803). Together with PCBP1, required for erythropoiesis, possibly by regulating mRNA splicing (By similarity).

Cellular Location Nucleus. Cytoplasm. Note=Loosely bound in the nucleus (PubMed:7607214).
May shuttle between the nucleus and the cytoplasm (PubMed:7607214).

Tissue Location Detected in all tissues examined.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.