

Anti-CLEC2D / OCIL / LLT1 Antibody (clone 4C7)

Mouse Anti Human Monoclonal Antibody Catalog # ALS17715

Product Information

Application WB, IHC-P, E **Primary Accession** Q9UHP7 **Predicted** Human Host Mouse Clonality Monoclonal Isotype IgG1,k **Clone Names** 4C7 **Calculated MW** 21849 Concentration (mg/ml) 1 mg/ml

Additional Information

Gene ID 29121

Alias Symbol CLEC2D

Other Names CLEC2D, C-type lectin related f, CLAX, LLT-1, LLT1, OCIL, Osteoclast inhibitory

lectin, Lectin-like NK cell receptor, Lectin-like transcript 1

Target/Specificity Human CLEC2D

Reconstitution & Storage Protein A purified

Precautions Anti-CLEC2D / OCIL / LLT1 Antibody (clone 4C7) is for research use only and

not for use in diagnostic or therapeutic procedures.

Protein Information

Name CLEC2D

Synonyms CLAX, LLT1, OCIL

Function Receptor for KLRB1 that protects target cells against natural killer

cell-mediated lysis (PubMed:<u>16339513</u>, PubMed:<u>20843815</u>). Inhibits

osteoclast formation (PubMed:<u>14753741</u>, PubMed:<u>15123656</u>). Inhibits bone resorption (PubMed:<u>14753741</u>). Modulates the release of interferon-gamma

(PubMed:15104121). Binds high molecular weight sulfated

glycosaminoglycans (PubMed: 15123656).

Cellular Location Cell membrane; Single-pass type II membrane protein [Isoform 4]:

Endoplasmic reticulum

Tissue Location

Detected in peripheral blood leukocytes, osteoblasts, lymph node, thymus and spleen. Isoform 1, isoform 2 and isoform 4 are expressed in T- and B-lymphocytes, and at lower levels in NK cells. They are also expressed in B-cell lines and LPS-matured monocyte-derived dendritic cells.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.