10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

LXN antibody(Ascites)

Mouse Monoclonal Antibody (Mab)
Catalog # AM1879a

Product Information

Application	WB, E
Primary Accession	Q9BS40
Reactivity	Mouse
Host	Mouse
Clonality	Monoclonal
Isotype	IgG1,IGK
Clone Names	199CT6.1.2
Calculated MW	25750

Additional Information

Gene ID	56925
Other Names	Latexin, Endogenous carboxypeptidase inhibitor, ECI, Protein MUM, Tissue carboxypeptidase inhibitor, TCI, LXN
Target/Specificity	This LXN monoclonal antibody is generated from mouse immunized with LXN recombinant protein.
Dilution	WB~~1:1000~32000 E~~Use at an assay dependent concentration.
Format	Mouse monoclonal antibody supplied in crude ascites with 0.09% (W/V) sodium azide.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	LXN antibody(Ascites) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	LXN
Function	Hardly reversible, non-competitive, and potent inhibitor of CPA1, CPA2 and CPA4. May play a role in inflammation.
Cellular Location	Cytoplasm.
Tissue Location	Highly expressed in heart, prostate, ovary, kidney, pancreas, and colon, moderate or low in other tissues including brain


Background

This gene encodes the only known protein inhibitor of zinc-dependent metallocarboxypeptidases.

References

Lamesch, P., et al. Genomics 89(3):307-315(2007)
Pallares, I., et al. Proc. Natl. Acad. Sci. U.S.A. 102(11):3978-3983(2005)
Liu, Q., et al. Mol. Biol. Rep. 27(4):241-246(2000)

Images



LXN (Cat. #AM1879a) western blot analysis in mouse brain tissue lysates (35µg/lane).This demonstrates the LXN antibody detected the LXN protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.