

LXN antibody(Ascites)

Mouse Monoclonal Antibody (Mab) Catalog # AM1879a

Product Information

Application WB, E **Primary Accession Q9BS40** Reactivity Mouse Host Mouse Clonality Monoclonal Isotype IgG1,IGK 199CT6.1.2 **Clone Names Calculated MW** 25750

Additional Information

Gene ID 56925

Other Names Latexin, Endogenous carboxypeptidase inhibitor, ECI, Protein MUM, Tissue

carboxypeptidase inhibitor, TCI, LXN

Target/Specificity This LXN monoclonal antibody is generated from mouse immunized with LXN

recombinant protein.

Dilution WB~~1:1000~32000 E~~Use at an assay dependent concentration.

Format Mouse monoclonal antibody supplied in crude ascites with 0.09% (W/V)

sodium azide.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions LXN antibody(Ascites) is for research use only and not for use in diagnostic or

therapeutic procedures.

Protein Information

Name LXN

Function Hardly reversible, non-competitive, and potent inhibitor of CPA1, CPA2 and

CPA4. May play a role in inflammation.

Cellular Location Cytoplasm.

Tissue Location Highly expressed in heart, prostate, ovary, kidney, pancreas, and colon,

moderate or low in other tissues including brain


Background

This gene encodes the only known protein inhibitor of zinc-dependent metallocarboxypeptidases.

References

Lamesch, P., et al. Genomics 89(3):307-315(2007)
Pallares, I., et al. Proc. Natl. Acad. Sci. U.S.A. 102(11):3978-3983(2005)
Liu, Q., et al. Mol. Biol. Rep. 27(4):241-246(2000)

Images



LXN (Cat. #AM1879a) western blot analysis in mouse brain tissue lysates (35µg/lane). This demonstrates the LXN antibody detected the LXN protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.