

GAST Antibody(Ascites)

Mouse Monoclonal Antibody (Mab)

Catalog # AM2046a

Product Information

| | |
|--------------------------|-----------------------------|
| Application | WB, E |
| Primary Accession | P01350 |
| Other Accession | NP_000796.1 |
| Reactivity | Human |
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Clone Names | 486CT4.8.13.6 |
| Calculated MW | 11394 |
| Antigen Region | 49-78 |

Additional Information

| | |
|---------------------------|---|
| Gene ID | 2520 |
| Other Names | Gastrin, Gastrin-71, Gastrin component I, Gastrin-52, G52, Big gastrin, Gastrin component II, Gastrin-34, G34, Gastrin, Gastrin component III, Gastrin-17, G17, Gastrin-14, G14, Gastrin-6, G6, GAST, GAS |
| Target/Specificity | This GAST antibody is generated from mice immunized with a KLH conjugated synthetic peptide between 49-78 amino acids from human GAST. |
| Dilution | WB~~1:100~1600 E~~Use at an assay dependent concentration. |
| Format | Mouse monoclonal antibody supplied in crude ascites with 0.09% (W/V) sodium azide. |
| Storage | Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles. |
| Precautions | GAST Antibody(Ascites) is for research use only and not for use in diagnostic or therapeutic procedures. |

Protein Information

| | |
|-----------------|---|
| Name | GAST |
| Synonyms | GAS |
| Function | Gastrin stimulates the stomach mucosa to produce and secrete hydrochloric acid and the pancreas to secrete its digestive enzymes. It also |

stimulates smooth muscle contraction and increases blood circulation and water secretion in the stomach and intestine.

Cellular Location

Secreted.


Background

Gastrin is a hormone whose main function is to stimulate secretion of hydrochloric acid by the gastric mucosa, which results in gastrin formation inhibition. This hormone also acts as a mitogenic factor for gastrointestinal epithelial cells. Gastrin has two biologically active peptide forms, G34 and G17. [provided by RefSeq].

References

Kovac, S., et al. FEBS Lett. 584(21):4413-4418(2010)
Ferrand, A., et al. Am. J. Physiol. Gastrointest. Liver Physiol. 299 (1), G220-G227 (2010) :
El Ali, Z., et al. J. Endocrinol. Invest. 33(3):186-191(2010)
Huang, C.L., et al. Pharmacology 85(3):131-135(2010)
Leja, M., et al. Dig. Dis. Sci. 54(11):2377-2384(2009)

Images



GAST Antibody (Cat. #AM2046a) western blot analysis in CEM cell line lysates (35µg/lane). This demonstrates the GAST antibody detected the GAST protein (arrow).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.