

CAPN6 Antibody

Purified Mouse Monoclonal Antibody (Mab) Catalog # AM8453b

Product Information

Application WB, FC, E **Primary Accession** Q9Y6Q1

Reactivity Human, Mouse

Host Mouse **Clonality** Monoclonal

Isotype IgG1

Clone Names 1395CT446.22.5

Calculated MW 74576

Additional Information

Gene ID 827

Other Names Calpain-6, Calpain-like protease X-linked, Calpamodulin, CalpM, CAPN6,

CALPM, CANPX

Target/Specificity This CAPN6 antibody is generated from a mouse immunized with a

recombinant protein of human CAPN6.

Dilution WB~~1:1000 FC~~1:10~50 E~~Use at an assay dependent concentration.

Format Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein G column, followed by dialysis

against PBS.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions CAPN6 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

Protein Information

Name CAPN6

Synonyms CALPM, CANPX

Function Microtubule-stabilizing protein that may be involved in the regulation of

microtubule dynamics and cytoskeletal organization. May act as a regulator of RAC1 activity through interaction with ARHGEF2 to control lamellipodial formation and cell mobility. Does not seem to have protease activity as it has

lost the active site residues (By similarity).

Cellular Location Cytoplasm, perinuclear region. Cytoplasm, cytoskeleton, spindle. Note=During

mitose associated with the mitotic spindle. At telophase colocalized to the

midbody spindle

Tissue Location Expressed only in placenta.

Background

Microtubule-stabilizing protein that may be involved in the regulation of microtubule dynamics and cytoskeletal organization. May act as a regulator of RAC1 activity through interaction with ARHGEF2 to control lamellipodial formation and cell mobility. Does not seem to have protease activity as it has lost the active site residues (By similarity).

References

Dear T.N., et al. Genomics 45:175-184(1997).


Crotty P.L., et al. Submitted (OCT-1997) to the EMBL/GenBank/DDBJ databases.

Belsito A., et al. Submitted (JUL-1997) to the EMBL/GenBank/DDBJ databases.


Ross M.T., et al. Nature 434:325-337(2005).

Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.

Images



Flow cytometric analysis of A549 cells using CAPN6 Antibody(green, Cat#) compared to an isotype control of mouse IgG1(blue). was diluted at 1:25 dilution. An Alexa Fluor® 488 goat anti-mouse IgG at 1:400 dilution was used as the secondary antibody.



Western blot analysis of lysate from human placenta tissue lysate, using CAPN6 Antibody(Cat. #AM8453b). AM8453b was diluted at 1:1000. A goat anti-mouse IgG H&L(HRP) at 1:3000 dilution was used as the secondary antibody. Lysate at 20µg.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.