

# **ADAMTS4** Antibody

Purified Mouse Monoclonal Antibody (Mab) Catalog # AM8671b

#### **Product Information**

Application WB, E
Primary Accession O75173
Reactivity Human
Predicted Human
Host Mouse
Clonality monoclonal
Isotype IgG1, κ

**Clone Names** 1995CT113.89.78

Calculated MW 90197

### **Additional Information**

**Gene ID** 9507

Other Names A disintegrin and metalloproteinase with thrombospondin motifs 4, ADAM-TS

4, ADAM-TS4, ADAMTS-4, 3.4.24.82, ADMP-1, Aggrecanase-1, ADAMTS4,

KIAA0688

**Target/Specificity** This ADAMTS4 antibody is generated from a mouse immunized with a

recombinant protein from the human region of human ADAMTS4.

**Dilution** WB~~1:8000 E~~Use at an assay dependent concentration.

**Format** Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein G column, followed by dialysis

against PBS.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** ADAMTS4 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

#### **Protein Information**

Name ADAMTS4

Synonyms KIAA0688

**Function** Cleaves aggrecan, a cartilage proteoglycan, at the '392- Glu-|-Ala-393' site

and may be involved in its turnover (PubMed: 10356395, PubMed: 10827174).

Also cleaves COMP (PubMed: <u>39672391</u>). May play an important role in the destruction of aggrecan in arthritic diseases. Could be a critical factor in the exacerbation of neurodegeneration in Alzheimer disease.

**Cellular Location** Secreted, extracellular space, extracellular matrix

**Tissue Location** Expressed in brain, lung and heart (PubMed:23897278). Expressed at very low

level in placenta and skeletal muscles (PubMed:23897278). Isoform 2: Detected in osteoarthritic synovium (PubMed:16723216, PubMed:23897278)


## **Background**

Cleaves aggrecan, a cartilage proteoglycan, and may be involved in its turnover. May play an important role in the destruction of aggrecan in arthritic diseases. Could also be a critical factor in the exacerbation of neurodegeneration in Alzheimer disease. Cleaves aggrecan at the '392-Glu-|-Ala-393' site.

#### References

Tortorella M.D., et al. Science 284:1664-1666(1999). Wainwright S.D., et al. Matrix Biol. 25:317-320(2006). Sawaji Y., et al. Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases. Ishikawa K., et al. DNA Res. 5:169-176(1998). Clark H.F., et al. Genome Res. 13:2265-2270(2003).

## **Images**



Anti-ADAMTS4 Antibody at 1:8000 dilution + Recombinant protein Lysates/proteins at 20ng per lane. Secondary Goat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 90 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.