

Anti-SNAP25 Antibody

Our Anti-SNAP25 rabbit polyclonal primary antibody from PhosphoSolutions is produced in-house. It de Catalog # AN1555

Product Information

Application WB
Primary Accession P60881
Reactivity Rat
Host Rabbit
Clonality Polyclonal
Isotype IgG
Calculated MW 23315

Additional Information

 Gene ID
 25012

 Other Names
 bA416

bA416N4.2 antibody, Bdr antibody, CMS18 antibody, dJ1068F16.2 antibody, FLJ23079 antibody, HGNC:11132 antibody, MGC105414 antibody, MGC139754 antibody, Resistance to inhibitors of cholinesterase 4 homolog antibody, RIC 4 antibody, RIC4 antibody, SEC 9 antibody, SEC9 antibody, SNAP 25 antibody, SNAP antibody, SNAP-25 antibody, SNAP-25B antibody, SNAP25 antibody, SNP 25 antibody, SNP25_HUMAN antibody, sp antibody, SUP antibody, Super protein antibody, Synaptosomal associated 25 kDa protein antibody, Synaptosomal associated protein 25 antibody, Synaptosomal associated protein 25kDa

antibody, Synaptosomal-associated 25 kDa protein antibody, Synaptosomal-associated protein 25 antibody, Synaptosomal-associated

protein 25-KD antibody

Target/Specificity SNAP25 (Synaptosomal associated protein of 25 kDa) is a presynaptic plasma

membrane protein that is widely distributed throughout the brain and involved in the regulation of neurotransmitter release. Decreased levels of SNAP25 have been found in the brains of patients with Down Syndrome and Alzheimer's Disease (Greber et al.,1999). In addition, a significant reduction in the hippocampal expression of SNAP25 has also been found in patients with

Schizophrenia (Fatemi et al., 2001).

Dilution WB~~1:1000

Format Antigen Affinity Purified from Pooled Serum

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions Anti-SNAP25 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

Background

SNAP25 (Synaptosomal associated protein of 25 kDa) is a presynaptic plasma membrane protein that is widely distributed throughout the brain and involved in the regulation of neurotransmitter release. Decreased levels of SNAP25 have been found in the brains of patients with Down Syndrome and Alzheimer's Disease (Greber et al.,1999). In addition, a significant reduction in the hippocampal expression of SNAP25 has also been found in patients with Schizophrenia (Fatemi et al., 2001).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.