

Anti-iNOS (C-terminal region) Antibody

Catalog # AN1868

Product Information

Application	WB, ICC
Primary Accession	P35228
Host	Rabbit
Clonality	Rabbit Polyclonal
Isotype	IgG
Calculated MW	131117

Additional Information


Gene ID	4843
Other Names	Nos2 nitric oxide synthase 2, inducible, macrophage, NOS, type II, NOSII, Hepatocyte
Dilution	WB~~1:1000 ICC~~N/A
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	Anti-iNOS (C-terminal region) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.
Shipping	Blue Ice

Background

Nitric oxide (NO) has a broad range of biological activities and is implicated in signaling pathways in phylogenetically diverse species. Nitric oxide synthases (NOS), the enzymes responsible for synthesis of NO, are homodimers whose monomers are themselves two fused enzymes: a cytochrome reductase and a cytochrome that requires three cosubstrates (L-arginine, NADPH, and oxygen) and five cofactors or prosthetic groups (FAD, FMN, calmodulin, tetrahydrobiopterin, and heme). Several distinct NOS isoforms are produced from three distinct genes. These include two constitutive Ca²⁺/CaM-dependent forms of NOS: nNOS (also designated bNOS, NOS-I), whose activity was first identified in neurons and eNOS (also designated ecNOS, NOS-III) first identified in endothelial cells. The inducible form of NOS, iNOS (also designated NOS-II), is Ca²⁺ independent and is expressed in a broad range of cell types. This form of NOS is induced after stimulation with cytokines and exposure to microbial products.

Images

Western blot analysis of mouse macrophages untreated (lanes 1 & 3) or treated with LPS (1 µg/ml) for 18 hrs (lanes 2 & 4). The blots were probed with mouse monoclonal anti-iNOS at 1:500 (lanes 1 & 2) or rabbit



polyclonal anti-iNOS at 1:250 (AN1868).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.