10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Phosphoserine/threonine Antibody

Catalog # AN1899

Product Information

Application	WB, ICC, IP
Primary Accession	N/A
Host	Rabbit
Clonality	Rabbit Polyclonal
Isotype	IgG

Additional Information


Other Names	Phosphoser/thr mAb
Dilution	WB~~1:1000 ICC~~N/A IP~~N/A
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	Anti-Phosphoserine/threonine Antibody is for research use only and not for use in diagnostic or therapeutic procedures.
Shipping	Blue Ice


Background

Phosphorylation of specific serine or threonine residues is an important post-translational modification for regulating the activity of most proteins. Stimulation of a variety of cell signaling pathways activates the receptor and non-receptor ser/thr kinases that mediate these protein modifications. Antibodies that can detect phosphoserine or phosphothreonine residues are excellent tools for characterizing changes in the post-translational state of a broad range of phosphorylated proteins. Immunoprecipitation of proteins of interest followed by detection of phosphoserine or phosphothreonine using anti-phosphoserine antibody is commonly used to correlate changes in phosphorylation state with alterations in protein activity.

Images

Western blot analysis of A431 cells treated with calyculin A (100 nM) for 30 min (lane 1) then treated with lambda phosphatase (lane 2). The blot was probed with anti-Phosphoserine/threonine rabbit polyclonal at 1:1000.





Bar graph showing anti-Phosphoserine/threonine (AN1899) binding to a variety of phosphoserine and phosphothreonine peptides, but not control peptide containing unphosphorylated serine or phosphotyrosine.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.