

Anti-VASP (C-terminal region) Antibody

Catalog # AN2006

Product Information

Application WB, ICC
Primary Accession P50552
Host Mouse

Clonality Mouse Monoclonal

IsotypeIgG1Clone NamesM277Calculated MW39830

Additional Information

Gene ID 7408

Other Names vasodilator-stimulated phosphoprotein

Dilution WB~~1:1000 ICC~~N/A

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions Anti-VASP (C-terminal region) Antibody is for research use only and not for

use in diagnostic or therapeutic procedures.


Shipping Blue Ice


Background

Actin filament tethering and bundling are important mechanisms involved in actin superstructure assembly. The ENA/VASP family includes VASP, mena, and Ena-Vasp-like (EVL). These multidomain proteins localize to the leading edge of filopodia where they associate with AFs, interact with profilin, and compete with capping proteins at the barbed end of AFs. Artificial relocalization of VASP from the plasma membrane to mitochondrial membranes inhibits filopodial formation and axon branching, while deletion of all three ENA/VASP proteins produces defects in cortical axon-tract formation. Regulation of VASP protein activity occurs through phosphorylation at Ser-157, Ser-239, and Thr-278. AMPK phosphorylates Thr-278, leading to impaired actin stress fiber assembly and changes in cell morphology.

Images

Western blot image of human A431 cells stimulated with calyculin A (100 nM) for 30 min. The blots were untreated (lanes 1 & 3) or treated with lambda phosphatase (lanes 2 & 4), then probed with mouse monoclonal VASP (C-term.) antibody (lanes 1 & 2) or rabbit polyclonal VASP (Thr-278) phospho-specific antibody (lanes 3 & 4).





Immunocytochemical labeling of VASP in aldehyde-fixed and NP-40-permeabilized A431 cells. The cells were labeled with mouse monoclonal VASP (C-terminal region) antibody, then the antibody was detected using appropriate secondary antibody conjugated to DyLight® 594.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.