

ETS1 Antibody

Mouse Monoclonal Antibody to ETS1 Catalog # AO1354b

Product Information

Application WB, IHC, E **Primary Accession** P14921 Reactivity Human Host Mouse Clonality Monoclonal **Clone Names** 10D2 Mouse IgG1

Isotype 50408 **Calculated MW**

Description The ETS1 is a transcription factor known to regulate expression of a number

> of genes involved in extracellular matrix remodeling. ETS1 is absent from normal gastric epithelium but is expressed in approximately 60% of gastric carcinomas and oral squamous cell carcinomas with a significant correlation

to the tumor stage.

Immunogen Purified recombinant fragment of human ETS1 expressed in E. Coli.

Additional Information

Gene ID 2113

Other Names Protein C-ets-1, p54, ETS1, EWSR2

Target/Specificity Purified recombinant fragment of human ETS1 expressed in E. Coli.

Dilution WB~~1:500~~2000 IHC~~1:200~~1000 E~~N/A

Format Ascitic fluid containing 0.03% sodium azide.

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store **Storage**

at -20°C in small aliquots to prevent freeze-thaw cycles.

ETS1 Antibody is for research use only and not for use in diagnostic or **Precautions**

therapeutic procedures.

Protein Information

Name ETS1

Synonyms EWSR2 **Function** Transcription factor (PubMed: <u>10698492</u>, PubMed: <u>11909962</u>). Directly

controls the expression of cytokine and chemokine genes in a wide variety of

different cellular contexts (PubMed: 20378371). May control the

differentiation, survival and proliferation of lymphoid cells

(PubMed:<u>20378371</u>). May also regulate angiogenesis through regulation of expression of genes controlling endothelial cell migration and invasion

(PubMed: 15247905, PubMed: 15592518).

Cellular Location Nucleus. Cytoplasm Note=Delocalizes from nucleus to cytoplasm when

coexpressed with isoform Ets-1 p27.

Tissue Location Highly expressed within lymphoid cells. Isoforms c- ETS-1A and Ets-1 p27 are

both detected in all fetal tissues tested, but vary with tissue type in adult

tissues. None is detected in brain or kidney.

References

1. DNA Cell Biol. 2005 Feb;24(2):126-32.

2. Mol Hum Reprod. 2006 Feb;12(2):71-6.

3. J Biol Chem. 2008 Jan 11;283(2):951-62.

Images




Figure 1: Western blot analysis using ETS1 mouse mAb against Jurkat (1), HepG2 (2) and ETS1-hIgGFc transfected HEK293 (3) cell lysate.




Figure 2: Immunohistochemical analysis of paraffin-embedded human brain tissue (A) and breast tumor (B) uing ETS1 mouse mAb.

 $Please\ note: All\ products\ are\ 'FOR\ RESEARCH\ USE\ ONLY.\ NOT\ FOR\ USE\ IN\ DIAGNOSTIC\ OR\ THERAPEUTIC\ PROCEDURES'.$