10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

OTX2 Antibody

Purified Mouse Monoclonal Antibody
Catalog # AO1567a

Product Information

Application	WB, IHC, FC, ICC, E
Primary Accession	P32243
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Clone Names	1H12C4B5
Isotype	IgG1
Calculated MW	31636
Description	This gene encodes a member of the bicoid sub-family of homeodomain-containing transcription factors. The encoded protein acts as a transcription factor and may play a role in brain and sensory organ development. A similar protein in mice is required for proper forebrain development.Tissue specificity: Expressed in brain.
Immunogen	Purified recombinant fragment of human OTX2 expressed in E. Coli.
Formulation	Ascitic fluid containing 0.03% sodium azide.

Additional Information

Gene ID	5015
Other Names	Homeobox protein OTX2, Orthodenticle homolog 2, OTX2
Dilution	WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 FC~~1/200 - 1/400 ICC~~N/A E~~1/10000
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	OTX2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	OTX2
Function	Transcription factor probably involved in the development of the brain and the sense organs. Can bind to the bicoid/BCD target sequence (BTS):

5'-TCTAATCCC-3'.

Cellular Location Nucleus.

References

1. Hum Mutat. 2008 Nov;29(11):E278-83. 2. Cancer Res. 2010 Jan 1;70(1):181-91.

Images




Figure 1: Western blot analysis using OTX2 mouse mAb against HepG2 (1), Jurkat (2), and NTERA-2 (3) cell lysate.




Figure 2: Western blot analysis using OTX2 mAb against human OTX2 (AA: 40-297) recombinant protein. (Expected MW is 65 kDa)




Figure 3: Immunohistochemical analysis of paraffin-embedded prostate tissues (left) and colon cancer tissues (right) using OTX2 mouse mAb with DAB staining.





Figure 4: Immunofluorescence analysis of HepG2 cells using OTX2 mouse mAb (green). Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.

Figure 5: Flow cytometric analysis of HepG2 cells using OTX2 mouse mAb (green) and negative control (purple).



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.