

# **NEFL Antibody**

Purified Mouse Monoclonal Antibody Catalog # AO1663a

#### **Product Information**

**Application** WB, IHC, FC, ICC, E

Primary Accession
Reactivity
Human
Host
Clonality
Monoclonal
Clone Names
Isotype
IgG1
Calculated MW
MP07196
Human
Mouse
Clonal
G10
IgG1
C1517

**Description** Neurofilaments are type IV intermediate filament heteropolymers composed

of light, medium, and heavy chains. Neurofilaments comprise the axoskeleton and they functionally maintain the neuronal caliber. They may also play a role in intracellular transport to axons and dendrites. This gene encodes the light

chain neurofilament protein. Mutations in this gene cause

Charcot-Marie-Tooth disease types 1F (CMT1F) and 2E (CMT2E), disorders of

the peripheral nervous system that are characterized by distinct neuropathies. A pseudogene has been identified on chromosome Y.

**Immunogen** Purified recombinant fragment of human NEFL expressed in E. Coli.

**Formulation** Purified antibody in PBS with 0.05% sodium azide

### **Additional Information**

Gene ID 4747

Other Names Neurofilament light polypeptide, NF-L, 68 kDa neurofilament protein,

Neurofilament triplet L protein, NEFL, NF68, NFL

Dilution WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 FC~~1/200 - 1/400 ICC~~N/A

E~~1/10000

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** NEFL Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

#### **Protein Information**

Name NEFL

Synonyms NF68, NFL

**Function** Neurofilaments usually contain three intermediate filament proteins: NEFL,

NEFM, and NEFH which are involved in the maintenance of neuronal caliber. May additionally cooperate with the neuronal intermediate filament proteins

PRPH and INA to form neuronal filamentous networks (By similarity).

**Cellular Location** Cell projection, axon {ECO:0000250 | UniProtKB:P08551}. Cytoplasm,

cytoskeleton {ECO:0000250|UniProtKB:P08551}

#### References

1. BMB Rep. 2008 Dec 31;41(12):868-74. 2. J Hum Genet. 2009 Feb;54(2):94-7.

## **Images**




Figure 1: Western blot analysis using NEFL mouse mAb against Hela (1) and Jurkat (2) cell lysate.




Figure 2: Immunohistochemical analysis of paraffin-embedded lung cancer tissues using NEFL mouse mAb with DAB staining.





Figure 3: Immunohistochemical analysis of paraffin-embedded brain tissues using NEFL mouse mAb with DAB staining.

Figure 4: Immunofluorescence analysis of Hela cells using NEFL mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.






Figure 5: Flow cytometric analysis of Jurkat cells using NEFL mouse mAb (green) and negative control (red).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.