

# **DLL4** Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1723a

#### **Product Information**

ApplicationWB, FC, EPrimary AccessionQ9NR61ReactivityHumanHostMouseClonalityMonoclonal

Clone Names 4A11

**Isotype** 4A11F8 IgG2b/4A11G2 IgG1

Calculated MW 74605

**Description** This gene is a homolog of the Drosophila delta gene. The delta gene family

encodes Notch ligands that are characterized by a DSL domain, EGF repeats,

and a transmembrane domain.

**Immunogen** Purified recombinant fragment of human DLL4 expressed in E. Coli.

**Formulation** Purified antibody in PBS with 0.05% sodium azide

#### **Additional Information**

**Gene ID** 54567

Other Names Delta-like protein 4, Drosophila Delta homolog 4, Delta4, DLL4

**Dilution** WB~~1/500 - 1/2000 FC~~1/200 - 1/400 E~~1/10000

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** DLL4 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

## **Protein Information**

Name DLL4

**Function** Involved in the Notch signaling pathway as Notch ligand

(PubMed:11134954). Activates NOTCH1 and NOTCH4. Involved in

angiogenesis; negatively regulates endothelial cell proliferation and migration and angiogenic sprouting (PubMed:20616313). Essential for retinal progenitor proliferation. Required for suppressing rod fates in late retinal progenitors as

well as for proper generation of other retinal cell types (By similarity). During spinal cord neurogenesis, inhibits V2a interneuron fate (PubMed: 17728344).

**Cellular Location** Cell membrane; Single-pass type I membrane protein

**Tissue Location** Expressed in vascular endothelium.

## References

1.Blood. 2010 Sep 30;116(13):2385-94. 2.Circ Res. 2010 Jul 23;107(2):283-93.

# **Images**




Figure 1: Western blot analysis using DLL4 mAb against human DLL4 (AA: 313-439) recombinant protein. (Expected MW is 39.2 kDa)

Figure 2: Western blot analysis using DLL4 mAb against HEK293 (1) and DLL4 (AA: 313-439)-hIgGFc transfected HEK293 (2) cell lysate.




Figure 3: Flow cytometric analysis of HeLa cells using DLL4 mouse mAb (green) and negative control (red).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.