

# **ONECUT3** Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1836a

### **Product Information**

**Application** WB, IHC, E **Primary Accession** 060422 Reactivity Human Host Mouse Clonality Monoclonal **Clone Names** 10B2F5 Isotype IgG1 50037 **Calculated MW** 

**Description** The protein encoded by this gene is a transcriptional activator. It can bind the

consensus DNA sequence 5'-DHWATTGAYTWWD-3' on a variety of gene

promoters such as those of HNF3B and TTR(By similarity).

Immunogen Purified recombinant fragment of human ONECUT3 (AA: 350-455) expressed

in E. Coli.

**Formulation** Purified antibody in PBS with 0.05% sodium azide

#### **Additional Information**

**Gene ID** 390874

Other Names One cut domain family member 3, One cut homeobox 3, Transcription factor

ONECUT-3, OC-3, ONECUT3

**Dilution** WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 E~~1/10000

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**ONECUT3 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

### **Protein Information**

Name ONECUT3

**Function** Transcriptional activator. Binds the consensus DNA sequence

5'-DHWATTGAYTWWD-3' on a variety of gene promoters such as those of

HNF3B and TTR (By similarity).

## ECO:0000255|PROSITE-ProRule:PRU00374}

## **Background**

The product of this gene transfers fucose to N-acetyllactosamine polysaccharides to generate fucosylated carbohydrate structures. It catalyzes the synthesis of the non-sialylated antigen, Lewis x (CD15).;

### References

1. Biochem Biophys Res Commun. 2002 Apr 12;292(4):848-54.

### **Images**




Figure 1: Western blot analysis using ONECUT3 mAb against human ONECUT3 recombinant protein. (Expected MW is 38.2 kDa)

Figure 2: Western blot analysis using ONECUT3 mAb against HEK293 (1) and ONECUT3 (AA: 350-455)-hIgGFc transfected HEK293 (2) cell lysate.




Figure 3: Immunohistochemical analysis of paraffin-embedded cervical cancer tissues using ONECUT3 mouse mAb with DAB staining.

Figure 4: Immunohistochemical analysis of paraffin-embedded rectum cancer tissues using ONECUT3 mouse mAb with DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.