

EPN1 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO2000a

Product Information

Application WB, FC, E **Primary Accession Q9Y6I3** Reactivity Human Host Mouse Clonality Monoclonal **Clone Names** 6F7F9 Isotype IgG1 60293 **Calculated MW**

Description The protein encoded by this gene binds clathrin and is involved in the

endocytosis of clathrin-coated vesicles. Three transcript variants encoding

different isoforms have been found for this gene.

Immunogen Purified recombinant fragment of human EPN1 (AA: 106-254) expressed in E.

Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide.

Additional Information

Gene ID 29924

Other Names Epsin-1, EH domain-binding mitotic phosphoprotein, EPS-15-interacting

protein 1, EPN1

Dilution WB~~1/500 - 1/2000 FC~~1/200 - 1/400 E~~1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions EPN1 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

Protein Information

Name EPN1

Function Binds to membranes enriched in phosphatidylinositol 4,5- bisphosphate

(PtdIns(4,5)P2). Modifies membrane curvature and facilitates the formation of clathrin-coated invaginations (By similarity). Regulates receptor-mediated

endocytosis (PubMed: 10393179, PubMed: 10557078).

Cellular Location

Cytoplasm. Cell membrane; Peripheral membrane protein. Nucleus. Membrane, clathrin-coated pit Note=Associated with the cytoplasmic membrane at sites where clathrin- coated pits are forming. Colocalizes with clathrin and AP-2 in a punctate pattern on the plasma membrane. Detected in presynaptic nerve terminals and in Golgi stacks. May shuttle to the nucleus when associated with ZBTB16/ZNF145 (By similarity).

References

1. J Biol Chem. 2011 Nov 25;286(47):40760-70. 2. Traffic. 2009 Feb;10(2):235-45.

Images




Figure 1: Western blot analysis using EPN1 mAb against human EPN1 (AA: 106-254) recombinant protein. (Expected MW is 42.4 kDa)

Figure 2: Western blot analysis using EPN1 mAb against HEK293 (1) and EPN1 (AA: 106-254)-hIgGFc transfected HEK293 (2) cell lysate.




Figure 3: Flow cytometric analysis of A431 cells using EPN1 mouse mAb (green) and negative control (red).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.