

NOS1 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO2120a

Product Information

ApplicationWB, FC, ICC, EPrimary AccessionP29475ReactivityHumanHostMouseClonalityMonoclonal

Clone Names2E11G6IsotypeIgG1Calculated MW160970

Description The protein encoded by this gene belongs to the family of nitric oxide

synthases, which synthesize nitric oxide from L-arginine. Nitric oxide is a reactive free radical, which acts as a biologic mediator in several processes, including neurotransmission, and antimicrobial and antitumoral activities. In

including neurotransmission, and antimicrobial and antitumoral activities. In the brain and peripheral nervous system, nitric oxide displays many properties of a neurotransmitter, and has been implicated in neurotoxicity associated with stroke and neurodegenerative diseases, neural regulation of

smooth muscle, including peristalsis, and penile erection. This protein is ubiquitously expressed, with high level of expression in skeletal muscle. Multiple transcript variants that differ in the 5' UTR have been described for this gene but the full-length nature of these transcripts is not known. Additionally, alternatively spliced transcript variants encoding different

isoforms (some testis-specific) have been found for this gene.

Immunogen Purified recombinant fragment of human NOS1 (AA: 17-153) expressed in E.

Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

Additional Information

Gene ID 4842

Other Names Nitric oxide synthase, brain, 1.14.13.39, Constitutive NOS, NC-NOS, NOS type

I, Neuronal NOS, N-NOS, nNOS, Peptidyl-cysteine S-nitrosylase NOS1, bNOS,

NOS1

Dilution WB~~1/500 - 1/2000 FC~~1/200 - 1/400 ICC~~N/A E~~1/10000

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

PrecautionsNOS1 Antibody is for research use only and not for use in diagnostic or

therapeutic procedures.

Protein Information

Name NOS1 (HGNC:7872)

Function Produces nitric oxide (NO) which is a messenger molecule with diverse

functions throughout the body. In the brain and peripheral nervous system, NO displays many properties of a neurotransmitter. Probably has nitrosylase activity and mediates cysteine S-nitrosylation of cytoplasmic target proteins

such SRR.

Cellular Location Cell membrane, sarcolemma {ECO:0000250 | UniProtKB:Q9Z0J4}; Peripheral

membrane protein. Cell projection, dendritic spine

{ECO:0000250 | UniProtKB:P29476}. Note=In skeletal muscle, it is localized beneath the sarcolemma of fast-twitch muscle fiber by associating with the dystrophin glycoprotein complex (By similarity) In neurons, enriched in dendritic spines (By similarity) {ECO:0000250 | UniProtKB:P29476,

ECO:0000250 | UniProtKB:Q9Z0J4}

Tissue Location Isoform 1 is ubiquitously expressed: detected in skeletal muscle and brain,

also in testis, lung and kidney, and at low levels in heart, adrenal gland and retina. Not detected in the platelets. Isoform 3 is expressed only in testis. Isoform 4 is detected in testis, skeletal muscle, lung, and kidney, at low levels

in the brain, but not in the heart and adrenal gland

References

1.J Neurochem. 2013 Aug;126(3):318-30.2.J Leukoc Biol. 2012 Jun;91(6):947-56.

Images

